Field Name	Description	Type & Length	Comments
PATIENTID	The 10-digit Medicaid ID assigned to the member.	VARCHAR2(12)	
PATIENTDOB	The date of birth for the member.	DATE Format = CCYYMMDD	
ATIENTGENDER	Indicates the sex of the member. Valid Values: U - Unknown M - Male F - Female	VARCHAR2(1)	
RODUCT		VARCHAR2(3)	Default to "HMO"
INEOFBUSINESS	This is a group of covered services (benefits) where the recipient is assigned to a provider organization (MCO) in order to receive covered services (benefits (Assignment_plan)). The services are reimbursed on capitation basis.	VARCHAR2(5)	
ENCOUNTERTYPE	Encounter type code. Values are I=inpatient, O=outpatient and M=medical. Note Pharmacy encounters were stopped as of 2/1/2008.	VARCHAR2(1)	

CLAIMID	HMO_ID: The provider ID	VARCHAR2(8) +	
CLAIIVIID	assigned to the HMO that sent	· · ·	
	the encounter record.	VANCHANZ(50)	
	the encounter record.		
	RIN: This is a 30-character		
	control number (Record		
	· ·		
	Identifier Number) assigned by the HMO.		
	tile HIVIO.		
CLAIMSEQNUM		VARCHAR2(3)	For HMO claims, default to "001".
CLAIMSTATUS		VARCHAR2(1)	DHS only stores accepted records.
			Default to "A"(Accepted)
CLAIMLINESTATUS		VARCHAR2(1)	DHS only stores accepted records.
			Default to "A"(Accepted)
PAIDDATE	The date the encounter record	DATE	Country
7,11557,112	was processed by the		
	Managed Care Organization	Format = CCYYMMDD	
	(MCO).	Torride Corrivings	
SERVICESTARTDATE	The from date of service (or	DATE	
SERVICESTARTDATE	the first date of service) on an	DATE	
	encounter record.	Format = CCYYMMDD	
CED WEETNING ATT			
SERVICEENDDATE	The to date of service (or the	DATE	
	latest date of service) on an		
	encounter record.	Format = CCYYMMDD	
SERVICEUNITS	· · · · · · · · · · · · · · · · · · ·	NUMBER(9,3)	
	or drugs provided.		
DIAGNOSISCODE1	The ICD-9 diagnosis code for	VARCHAR2(7)	
	the principle diagnosis of the		
DIAGNOSISCODE2	The second diagnosis code for	VARCHAR2(7)	
	the recipient.		DHS uses standard national code set.
DIAGNOSISCODE3	The third diagnosis code for	VARCHAR2(7)	
	the recipient.		
DIAGNOSISCODE4	The fourth diagnosis code for	VARCHAR2(7)	
	the recipient.		
DIAGNOSISCODE5	The fifth diagnosis code for the	VARCHAR2(7)	
	recipient.	, ,	

PROCEDURECODE	This is the procedure code that identifies the service that was performed. It can be a CPT or HCPCS procedure code.	VARCHAR2(6)	DHS uses standard national code set.
MODIFIERCODE	The first 2-character modifier code which further identifies the procedure. Modifier Code values will be provided.	VARCHAR2(2)	
MODIFIERCODE2	The second 2-character modifier code which further identifies the procedure. Modifier Code values will be provided.	VARCHAR2(2)	Modifier Code values will be provided.
REVENUECODE	The 4 digit institutional revenue code. Revenue Code values will be provided.	VARCHAR2(4)	Revenue Code values will be provided.
PLACEOFSERVICE	The two-digit national place of service code that identifies where the service was provided, such as in an office, clinic, hospital, at home, etc.	VARCHAR2(2)	DHS uses standard national code set.
TOTALCHGAMT	The dollar amount that would have been charged for this service.	NUMBER(10,2)	
ALLOWEDAMT	The allowed amount for the encounter detail, based on ForwardHealth InterChange pricing methodology.	NUMBER(10,2)	

TPLAMT	The dollar amount that was	NUMBER(10,2)	
	paid by third party.		
PROVIDERID	The provider ID assigned to	VARCHAR2(15)	
	the clinic or group that would		
	"bill" for this service.		